

## 100% Pass Ensure 300-208 Dumps with Free VCE and PDF (Question 31 - Question 45)

New 300-208 exam questions from PassLeader 300-208 dumps! Welcome to download the newest PassLeader 300-208 VCE and PDF dumps: <http://www.passleader.com/300-208.html> (430 Q&As --> 451 Q&As --> 508 Q&As --> 531 Q&As)

P.S. Free 300-208 dumps are available on Google Drive shared by PassLeader:

[https://drive.google.com/open?id=0B-ob6L\\_QjGLpfkFleG9jUGxxS3kwS0VwcllTWmlxdTIBZUd5cnBkaG5DSE5FbU5yOEpYQzQ](https://drive.google.com/open?id=0B-ob6L_QjGLpfkFleG9jUGxxS3kwS0VwcllTWmlxdTIBZUd5cnBkaG5DSE5FbU5yOEpYQzQ)

### QUESTION 31

Which three components comprise the Cisco ISE profiler? (Choose three.)

- A. the sensor, which contains one or more probes
- B. the probe manager
- C. a monitoring tool that connects to the Cisco ISE
- D. the trigger, which activates ACLs
- E. an analyzer, which uses configured policies to evaluate endpoints
- F. a remitter tool, which fails over to redundant profilers

Answer: ABE

### QUESTION 32

Which three statements about the Cisco ISE profiler are true? (Choose three.)

- A. It sends endpoint data to AAA servers.
- B. It collects endpoint attributes.
- C. It stores MAC addresses for endpoint systems.
- D. It monitors and polices router and firewall traffic.
- E. It matches endpoints to their profiles.
- F. It stores endpoints in the Cisco ISE database with their profiles.

Answer: BEF

### QUESTION 33

From which location can you run reports on endpoint profiling?

- A. Reports > Operations > Catalog > Endpoint
- B. Operations > Reports > Catalog > Endpoint
- C. Operations > Catalog > Reports > Endpoint
- D. Operations > Catalog > Endpoint

Answer: B

### QUESTION 34

Which two services are included in the Cisco ISE posture service? (Choose two.)

- A. posture administration
- B. posture run-time
- C. posture monitoring
- D. posture policing
- E. posture catalog

Answer: AB

### QUESTION 35

What is a requirement for posture administration services in Cisco ISE?

- A. at least one Cisco router to store Cisco ISE profiling policies
- B. Cisco NAC Agents that communicate with the Cisco ISE server
- C. an ACL that points traffic to the Cisco ISE deployment
- D. the advanced license package must be installed

Answer: D

### QUESTION 36

Which two statements about Cisco NAC Agents that are installed on clients that interact with the Cisco ISE profiler are true? (Choose two.)

- A. They send endpoint data to AAA servers.
- B. They collect endpoint attributes.
- C. They interact with the posture service to enforce endpoint security policies.
- D. They block access from the network through noncompliant endpoints.
- E. They store endpoints in the Cisco ISE with their profiles.
- F. They evaluate clients against posture policies, to enforce requirements.

Answer: CF

#### QUESTION 37

What steps must you perform to deploy a CA-signed identify certificate on an ISE device?

- A. 1. Download the CA server certificate.  
2. Generate a signing request and save it as a file.  
3. Access the CA server and submit the ISE request.  
4. Install the issued certificate on the ISE.
- B. 1. Download the CA server certificate.  
2. Generate a signing request and save it as a file.  
3. Access the CA server and submit the ISE request.  
4. Install the issued certificate on the CA server.
- C. 1. Generate a signing request and save it as a file.  
2. Download the CA server certificate.  
3. Access the ISE server and submit the CA request.  
4. Install the issued certificate on the CA server.
- D. 1. Generate a signing request and save it as a file.  
2. Download the CA server certificate.  
3. Access the CA server and submit the ISE request.  
4. Install the issued certificate on the ISE.

Answer: D

#### QUESTION 38

What implementation must be added to the WLC to enable 802.1X and CoA for wireless endpoints?

- A. the ISE
- B. an ACL
- C. a router
- D. a policy server

Answer: A

#### QUESTION 39

What are the initial steps must you perform to add the ISE to the WLC?

- A. 1. With a Web browser, establish an HTTP connection to the WLC pod.  
2. Navigate to Administration > Authentication > New.  
3. Enter server values to begin the configuration.
- B. 1. With a Web browser, establish an FTP connection to the WLC pod.  
2. Navigate to Security > Administration > New.  
3. Add additional security features for FTP authentication.
- C. 1. With a Web browser, establish an HTTP connection to the WLC pod.  
2. Navigate to Authentication > New.  
3. Enter ACLs and Authentication methods to begin the configuration.
- D. 1. With a Web browser connect, establish an HTTPS connection to the WLC pod.  
2. Navigate to Security > Authentication > New.  
3. Enter server values to begin the configuration.

Answer: D

#### QUESTION 40

Which command configures console port authorization under line con 0?

- A. authorization default|WORD
- B. authorization exec line con 0|WORD
- C. authorization line con 0|WORD
- D. authorization exec default|WORD

Answer: D

#### QUESTION 41

Which two statements about administrative access to the ACS Solution Engine are true? (Choose two.)

- A. The ACS Solution Engine supports command-line connections through a serial-port connection.
- B. For GUI access, an administrative GUI user must be created with the add-guiadmin command.
- C. The ACS Solution Engine supports command-line connections through an Ethernet interface.
- D. An ACL-based policy must be configured to allow administrative-user access.
- E. GUI access to the ACS Solution Engine is not supported.

Answer: BD

#### QUESTION 42

What is the purpose of the Cisco ISE Guest Service Sponsor Portal?

- A. It tracks and stores user activity while connected to the Cisco ISE.
- B. It securely authenticates guest users for the Cisco ISE Guest Service.
- C. It filters guest users from account holders to the Cisco ISE.
- D. It creates and manages Guest User accounts.

Answer: D

#### QUESTION 43

What is the effect of the ip http secure-server command on a Cisco ISE?

- A. It enables the HTTP server for users to connect on the command line.
- B. It enables the HTTP server for users to connect using Web-based authentication.
- C. It enables the HTTPS server for users to connect using Web-based authentication.
- D. It enables the HTTPS server for users to connect on the command line.

Answer: C

#### QUESTION 44

When RADIUS NAC and AAA Override are enabled for WLC on a Cisco ISE, which two statements about RADIUS NAC are true? (Choose two.)

- A. It will return an access-accept and send the redirection URL for all users.
- B. It establishes secure connectivity between the RADIUS server and the ISE.
- C. It allows the ISE to send a CoA request that indicates when the user is authenticated.
- D. It is used for posture assessment, so the ISE changes the user profile based on posture result.
- E. It allows multiple users to authenticate at the same time.

Answer: CD

#### QUESTION 45

What are the initial steps to configure an ACS as a TACACS server?

- A. 1. Choose Network Devices and AAA Clients > Network Resources.  
2. Click Create.
- B. 1. Choose Network Resources > Network Devices and AAA Clients.  
2. Click Create.
- C. 1. Choose Network Resources > Network Devices and AAA Clients.  
2. Click Manage.
- D. 1. Choose Network Devices and AAA Clients > Network Resources.  
2. Click Install.

Answer: B

New 300-208 exam questions from PassLeader 300-208 dumps! Welcome to download the newest PassLeader 300-208 VCE and PDF dumps: <http://www.passleader.com/300-208.html> (430 Q&As --> 451 Q&As --> 508 Q&As --> 531 Q&As)

P.S. Free 300-208 dumps are available on Google Drive shared by PassLeader:

[https://drive.google.com/open?id=0B-ob6L\\_QjGLpfkFleG9jUGxxS3kwS0VwcllTWmlxdTlBZUd5cnBkaG5DSE5FbU5yOEpYQzQ](https://drive.google.com/open?id=0B-ob6L_QjGLpfkFleG9jUGxxS3kwS0VwcllTWmlxdTlBZUd5cnBkaG5DSE5FbU5yOEpYQzQ)