

[15-Dec-2019 New 300-206 Dumps with VCE and PDF from PassLeader (Update Questions)]

New 300-206 exam questions from PassLeader 300-206 dumps! Welcome to download the newest PassLeader 300-206 VCE and PDF dumps: <https://www.passleader.com/300-206.html> (501 Q&As)

P.S. New 300-206 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L_QjGLpflBDRGVtd3JJR2k3ZF9sOTAyOHQ0bW1fdlJsZjFwS2xxZmx1TGVRoEdraTA

NEW QUESTION 490

Which type of authentication and encryption does SNMPv3 use at the authPriv security level?

- A. username authentication with MD5 or SHA encryption
- B. MD5 or SHA authentication with DES encryption
- C. username authentication with DES encryption
- D. DES authentication with MD5 or SHA encryption

Answer: B

NEW QUESTION 491

An engineer wants to ensure that a multicontext Cisco ASA determines the proper context to send a packet. Which two classification criteria must be unique for each context for this determination to occur? (Choose two.)

- A. ARP table
- B. transparent forwarding
- C. session state
- D. interfaces
- E. MAC addresses

Answer: DE

NEW QUESTION 492

Which two device types can you examine with a TrustSec Readiness Assessment report? (Choose two.)

- A. SGACL devices
- B. TrustSec incapable devices
- C. enforcement devices
- D. authentication devices
- E. security group tagging devices

Answer: BC

NEW QUESTION 493

An engineer has found that threat detection has been turned on by default on a Cisco ASA. Which two security events are monitored? (Choose two.)

- A. number of times the rates were exceeded
- B. total number of malformed packets received
- C. denial of service attack occurrences
- D. packets allowed by the inspection engine
- E. concurrent NAT interface overload addresses

Answer: AC

NEW QUESTION 494

Which two values must you provide when you use a CSV file to import devices into Cisco Prime Infrastructure? (Choose two.)

- A. device model number
- B. SNMP version
- C. device serial number
- D. device IP address
- E. EtherType field

Answer: BD

NEW QUESTION 495

Which two features does DNSSEC leverage for proper functionality? (Choose two.)

- A. It uses TCP to ensure reliable delivery.
- B. It uses UDP to reduce the DNS responses time.
- C. It uses EDNS to manage the larger DNS packets it requires.
- D. It uses UDP to minimize packet size.
- E. It uses AD and DO inside UDP to reduce response time.

Answer: CE

NEW QUESTION 496

Which two unified communications protocols can be inspected for an anomaly by using the Cisco ASA 5500 Series firewall? (Choose two.)

- A. RSH
B. SCP
C. MGCP
D. TFTP
E. RTSP

Answer: CE

NEW QUESTION 497

Which purpose of MKA in a MACsec deployment is true?

- A. It encrypts traffic between switches.
- B. It transports EAP messages from access switches to the RADIUS server.
- C. It provides additional security features beyond the default SAP key exchange.
- D. It encrypts traffic between the downlink port and the endpoint of the switch.

Answer: D

NEW QUESTION 498

Due to a traffic storm on your network, two interfaces were error-disabled and both interfaces sent SNMP traps. In which two ways can the interfaces be back into service? (Choose two.)

- A. If the `snmp-server enable traps` command is enabled, the ports return to service automatically after 300 seconds.
- B. If EEM is configured, the ports return to service automatically in less than 300 seconds.
- C. If the administrator enters the `shutdown` and no `shutdown` commands on the interfaces.
- D. If the interfaces are configured with the error-disable detection and recovery feature, the interfaces will be returned to service automatically.
- E. If Cisco Prime is configured, it issues an `SNMP set` command to re-enable the ports after the preconfigured interval.

Answer: CD

NEW QUESTION 499

You need to increase the level of security for the management traffic accessing a Cisco router. You plan to enable HTTPS. Which action do you take on the router?

- A. Disable TCP port 23.
- B. Generate an RSA key.
- C. Enable SCP.
- D. Enable TLS.

Answer: D

NEW QUESTION 500

Which action do you take on a Cisco router to limit the management traffic to only one interface?

- A. Filter incoming connections by applying an extended ACL on a loopback interface.
- B. Filter incoming connections by applying a standard ACL on a SVI.
- C. Utilize the Management Plane Protection feature.
- D. Add an interface by using the management-interface command.

Answer: C

NEW QUESTION 501

• • • • •

New 300-206 exam questions from PassLeader 300-206 dumps! Welcome to download the newest PassLeader 300-206 VCE and PDF dumps: <https://www.passleader.com/300-206.html> (501 Q&As)

P.S. New 300-206 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L_QjGLpflBDRGVtd3JJR2k3ZF9sOTAyOHQ0bW1fdlJsZjFwS2xxZmx1TGVRbEdraTA