# [17-Dec-2019 New 300-175 Dumps with VCE and PDF from PassLeader (Update Questions)

New 300-175 exam questions from PassLeader 300-175 dumps! Welcome to download the newest PassLeader 300-175 VCE and

PDF dumps: https://www.passleader.com/300-175.html (481 Q&As)

P.S. New 300-175 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L\_QjGLpcTYwUlg5R2o2Tlk

#### Read More CCNP Data Center Exam Dumps:

CCNP Data Center 300-160 Exam Dumps: <a href="http://www.ciscovceplus.com/?s=300-160">http://www.ciscovceplus.com/?s=300-160</a> CCNP Data Center 300-165 Exam Dumps: <a href="http://www.ciscovceplus.com/?s=300-165">http://www.ciscovceplus.com/?s=300-165</a> CCNP Data Center 300-170 Exam Dumps: <a href="http://www.ciscovceplus.com/?s=300-170">http://www.ciscovceplus.com/?s=300-165</a>

CCNP Data Center 300-180 Exam Dumps: http://www.ciscovceplus.com/?s=300-180

**NEW QUESTION 468** 

Which boot method do you use to boot the OS of a server by using a target machine located on an IP network?

- A. Cisco IMC secure boot
- B. Local disk boot
- C. SAN boot
- D. UEFI secure boot

#### Answer: C

#### **NEW QUESTION 469**

Which two descriptions of a BIOS policy in Cisco UCS Manager are true? (Choose two.)

- A. The default BIOS settings take precedence over the BIOS policy.
- B. When a change to the BIOS policy is made, Cisco UCS Manager immediately applies the policy after the change is committed.
- C. A BIOS policy configuration must be associated to one or more service profiles in order for the changes to take effect.
- D. You can apply a BIOS policy with BIOS default settings to a service profile or service profile template.
- E. Multiple default BIOS settings can exist for each server.

#### Answer: CD

#### **NEW QUESTION 470**

Which policy enables you to immediately upgrade the firmware on a newly discovered Cisco UCS server in Cisco UCS Manager?

- A. the service profile template
- B. the host firmware package
- C. the Firmware Auto Sync Server policy
- D. the chassis discovery policy

#### Answer: C

## **NEW QUESTION 471**

You are performing the initial configuration of Cisco UCS Manager. Where do you configure the DNS server?

- A. administration policy
- B. workload
- C. equipment policy
- D. properties of the management interface

## Answer: A

# **NEW QUESTION 472**

How do you install a TPM and enable Intel Trusted Execution Technology on a Cisco UCS M2814 Compute Cartridge?

A. A TPM module is installed by default.

You must enable Intel Trusted Execution Technology support in Cisco UCS Manager.

B. Decommission and power off the cartridge. Install a TPM module.

TPM support and Intel Trusted Execution Technology are enabled by default.

C. Decommission and power off the cartridge.

Export date: Fri Mar 29 11:37:41 2024 / +0000 GMT

#### Install a TPM module.

TPM support is enabled by default.

You must enable Intel Trusted Execution Technology support in the BIOS.

D. A TPM module is installed by default.

You must enable Intel Trusted Execution Technology support in the BIOS.

Answer: D

#### **NEW QUESTION 473**

Which description of a WWN pool is true?

- A. It is created automatically after the service profile is created.
- B. It must have a size that is a multiple of ports-per-node +1.
- C. It includes WWNNs or WWPNs in the range of 20:00:00:00:00:00:00 to 20:FF:FF:FF:FF:FF:FF.
- D. It contains a collection of WWNs used by the vNICs in a Cisco UCS domain.

Answer: D

#### **NEW QUESTION 474**

Which description of the configuration of the FCoE VLAN ID is true?

- A. The FCoE VLAN ID is allocated manually when configuring the VSAN ID and can be different than the VSAN ID.
- B. The FCoE VLAN ID is allocated automatically when configuring the VSAN ID and must be the same as the VSAN ID.
- C. The FCoE VLAN ID is allocated manually when configuring the VSAN ID and must be the same as the VSAN ID.
- D. The FCoE VLAN ID is allocated automatically when configuring the VSAN ID and can be different than the VSAN ID.

Answer: A

#### **NEW QUESTION 475**

Which description of what occurs when a Cisco UCS domain is unregistered from UCS Central is true?

- A. The UCS domain cannot be unregistered until all of the global polices are deleted.
- B. Global service profiles are deleted.
- C. Global service profiles become local and continue to operate as local entities.
- D. The UCS domain cannot be unregistered until all of the global polices are reconfigured as local polices.

Answer: C

## **NEW QUESTION 476**

Which two actions does Cisco strongly recommend before performing a firmware upgrade on a Cisco UCS domain? (Choose two.)

- A. Power on all of the servers.
- B. Unbind the service templates from the server blades.
- C. Back up the configuration to an all configuration backup file.
- D. Discover all of the servers.
- E. Back up the configuration to a logical configuration backup file.

Answer: CD

#### **NEW OUESTION 477**

Which statement about the result of using the templates is true?

- A. All changes to the primary template are synchronized to the secondary template.
- B. Both vHBA templates for the pair are attached simultaneously.
- C. Each template in the pair shares the WWPN pools.
- D. Each template in the pair shares the same VSAN.

Answer: A

#### **NEW QUESTION 478**

# **Drag and Drop**

Drag and drop the FCoE technologies from the left onto the correct functions of each technology on the right. (Not all options are used.)

FCF	Service login requests.
DCB	Extend classical Ethernet protocols for use in the data center.
DCBX	Provide a link-level flow-control mechanism.
PFC	Enable a percentage of available bandwidth on a link to be divided among specified priority groups.
ETS	
FIP	www.pandeaden.com

#### Answer:

Allswel.	
	FCF
	DCB
DCBX	PFC
	ETS
FIP	www.panleader.com


# **NEW QUESTION 479**

### **Drag and Drop**

You need to create a device alias in the pending database. Drag and drop the commands on the left to the correct order of steps on the right. (Not all options are used.)

device-alias commit	Step 1
member fcalias server-hba	Step 2
device-alias name <friendly name=""> pwwn <fibre channel="" wwpn=""></fibre></friendly>	Step 3
device-alias database	Step 4
configure terminal	www.bangeager.cow

# Answer:



# **NEW QUESTION 480**

•••••

New 300-175 exam questions from PassLeader 300-175 dumps! Welcome to download the newest PassLeader 300-175 VCE and

PDF dumps: <a href="https://www.passleader.com/300-175.html">https://www.passleader.com/300-175.html</a> (481 Q&As)

P.S. New 300-175 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L QjGLpcTYwUlg5R2o2Tlk

# Read More CCNP Data Center Exam Dumps:

CCNP Data Center 300-160 Exam Dumps: <a href="http://www.ciscovceplus.com/?s=300-160">http://www.ciscovceplus.com/?s=300-160</a> CCNP Data Center 300-165 Exam Dumps: <a href="http://www.ciscovceplus.com/?s=300-165">http://www.ciscovceplus.com/?s=300-165</a> CCNP Data Center 300-170 Exam Dumps: <a href="http://www.ciscovceplus.com/?s=300-180">http://www.ciscovceplus.com/?s=300-180</a> CCNP Data Center 300-180 Exam Dumps: <a href="http://www.ciscovceplus.com/?s=300-180">http://www.ciscovceplus.com/?s=300-180</a>