

[18-Jan-2022 New 2020 CCNP 300-420 ENSLD Dumps with VCE and PDF from PassLeader (Update Questions)]

New 2020 CCNP 300-420 ENSLD exam questions from PassLeader 300-420 dumps! Welcome to download the newest PassLeader 300-420 VCE and PDF dumps: <https://www.passleader.com/300-420.html> (268 Q&As --> 326 Q&As)

P.S. Free 2020 CCNP 300-420 ENSLD dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=1INcKy4jXdE0a_xC8B0uLBCOaSIHPdc1R

NEW QUESTION 181

An engineer must design a QoS solution for a customer. The network currently supports data only, but the customer will roll out VoIP and IP video in conjunction with the new QoS solution. The engineer plans to use DiffServ. To ensure priority for voice services, which model must the design include?

- A. 8-class model
- B. 4-class model
- C. 6-class model
- D. 12-class model

Answer: A

NEW QUESTION 182

A company's security policy requires that all connections between sites be encrypted in a manner that does not require maintenance of permanent tunnels. The sites are connected through a private MPLS-based service that uses a dynamically changing key and spoke-to-spoke communication. Which type of transport encryption must be used in this environment?

- A. GETVPN
- B. DMVPN
- C. GRE VPN
- D. Standard IPsec VPN

Answer: A

NEW QUESTION 183

In the SD-WAN underlay network, which WAN Edge VPN ID is defined as the transport VPN and is used to carry control traffic?

- A. VPN 0
- B. VPN 512
- C. VPN 128
- D. VPN 256

Answer: A

NEW QUESTION 184

An ISP provides Layer 3 VPN service over MPLS to a customer with four branches and multiple CE routers at each branch. To exchange the routes that are learned from the CE routers, which BGP address family should the ISP activate among the PE routers?

- A. address-family multicast
- B. L2VPN EVPN
- C. VPNv4 unicast
- D. IPv4 unicast

Answer: C

NEW QUESTION 185

Which two functions does the control plane node provide in a Cisco SD-Access architecture? (Choose two.)

- A. LISP proxy ETR
- B. host tracking databasepolicy
- C. mapping
- D. map server
- E. endpoint registration

Answer: BD

NEW QUESTION 186

Which consideration must be made when designing a Cisco SD-Access fabric underlay?

- A. Subnets must be reduced to decrease latency.
- B. Up to six control planes are supported.
- C. The default MTU should be increased.
- D. A unified policy must be used.

Answer: B

NEW QUESTION 187

Which feature is used to optimize WAN bandwidth of IGMP network traffic among WAN Edge routers in the same VPN?

- A. IGMPv2
- B. multicast RP
- C. multicast-replicator
- D. multicast service routes

Answer: A

NEW QUESTION 188

An architect must develop a campus network solution that includes:

- logically segmented and isolated networks
- ability to communicate between network segments when required
- support for overlapping IP addresses
- widely available technologies to avoid purchasing specialized equipment

Which solution must the architect select?

- A. VSS with IGP
- B. 802.1Q with HSRP
- C. vPC with HSRP
- D. VRF-Lite with OSPF

Answer: D

NEW QUESTION 189


Which topology within a network underlay eliminates the need for first hop redundancy protocols while improving fault tolerance, increasing resiliency, and simplifying the network?

- A. virtualized topology
- B. routed access topology
- C. Layer 2 topology
- D. logical fabric topology

Answer: D

NEW QUESTION 190

Refer to the exhibit:



An architect must design a solution that uses the direct link between R1 and R2 for traffic from 10.10.10.0/24 toward network 10.10.20.0/24. Which solution should the architect include in the design?

- A. Configure the OSPF cost of the link to a value lower than 30.
- B. Lower the Administrative Distance for OSPF area 0.

- C. Place the link into area 2 and install a new link between R1 and R2 in area 0.
- D. Configure the link to provide multiarea adjacency.

Answer: A

NEW QUESTION 191

Drag and Drop

Drag and drop the characteristics from the left onto the YANG models they describe on the right. Not all options are used.

independent of underlying platform

platform dependent

standards dependent

supports LLDP only

supports CDP and LLDP

Cisco Native

OpenConfig

www.passleader.com

Answer:

standards dependent

Cisco Native

platform dependent

supports CDP and LLDP

OpenConfig

independent of underlying platform

supports LLDP only

www.passleader.com

NEW QUESTION 192

Drag and Drop

Drag and drop the elements from the left onto the YANG models where they are used on the right.

GBP

XML

gNMI

NETCONF

IETF YANG Push Coverage


OpenConfig Telemetry Coverage

www.passleader.com

Answer:



www.passleader.com



NEW QUESTION 193

??

New 2020 CCNP 300-420 ENSLD exam questions from PassLeader 300-420 dumps! Welcome to download the newest PassLeader 300-420 VCE and PDF dumps: <https://www.passleader.com/300-420.html> (268 Q&As --> 326 Q&As)

P.S. Free 2020 CCNP 300-420 ENSLD dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=1INcKy4jXdE0a_xC8B0uLBCOaSIHPdc1R