[27-Mar-2018 New 300-075 Dumps with VCE and PDF from PassLeader (Update Questions)

New 300-075 exam questions from PassLeader 300-075 dumps! Welcome to download the newest PassLeader 300-075 VCE and PDF dumps: https://www.passleader.com/300-075.html (500 Q&As --> 514 Q&As --> 530 Q&As)

P.S. Free 300-075 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L QjGLpSlBUZHQxc19EWHM

Read More CCNP Collaboration Exam Dumps:

CCNP Collaboration 300-070 Exam Dumps: http://www.ciscovceplus.com/?s=300-070 CCNP Collaboration 300-080 Exam Dumps: http://www.ciscovceplus.com/?s=300-080 CCNP Collaboration 300-085 Exam Dumps: http://www.ciscovceplus.com/?s=300-085

NEW QUESTION 408

To which subzone can you apply bandwidth limitations?

- A. default, traversal, and all manually configured subzones
- B. manually configured subzones
- C. cluster
- D. default

Answer: A

NEW QUESTION 409

Which two features are part of Cisco Unified Mobility? (Choose two.)

- A. Mobile Voice Access
- B. Device Mobility
- C. Enterprise Feature Access
- D. Shared line
- E. Extension Mobility Cross Cluster

Answer: AC

NEW QUESTION 410

Company X has clusters deployed in three different countries. Unified states, United Kingdom and Japan. The administrator has enabled +E164 dialing across locations with ILS responsible for publishing extensions and PSTN numbers. Users in United States report that there is a delay every time they dial extensions in the United Kingdom and Japan. The voice administrator investigates and realizes the GDPR has two sets of route patterns for each site (for example, +44 for all UK numbers and +44-234567890 for a UK user's DID.) Which option is the solution for the dial delay for onnet calling between clusters?

- A. The administrator should setup a translation pattern to remove the + form the learned number.
- B. The administrator must set the Learned +E164 fixed-length number as urgent.
- C. The administrator must create North America style aliases for all the users in the UK and Japan locations.
- D. This is not possible international numbers all carry a dial delay because the digits are not fixed like they are in the United States.

Answer: B

NEW QUESTION 411

Which component provides a list of Cisco Unified Communications Manager node addresses that allow the phone to register to the cluster?

- A. DNS option 150.
- B. DHCP option 150.
- C. DHCP option 66.
- D. Configuration file from TFTP server.
- E. Primary Cisco Unified Communications Manager node from configuration file additional nodes during registration.

Answer: B

NEW QUESTION 412

How is the peer address configured when ExpresswayE has only one NIC enabled and is using static NAT mode?

- A. Expressway-E DHCP
- B. Cisco Unified Communications Manager DHCP
- C. Expressway-E FQDN
- D. Cisco Unified Communications Manager FQDN

Answer: C

NEW QUESTION 413

When considering cisco unified communications manager groups, the first entry is always the primary server that a device will attempt to register to. How many additional backup servers can be configured for devices to use?

- A. 2
- B. 6
- C. 1
- D. 3
- E. 5
- F. 4

Answer: A

NEW QUESTION 414

What is the default DSCP value for Cisco TelePresence calls in Cisco Unified Communications Manager?

- A. 24
- B. 32
- C. 46
- D. 26
- E. 34

Answer: E

NEW QUESTION 415

Which three steps are required to configure a SIP trunk on Cisco VCS towards cisco unified communications manager? (Choose three.)

- A. Configure a neighbor zone that contains the Cisco Unified Communications Manager.
- B. Configure a route pattern zone that contains the Cisco Unified Communications Manager.
- C. Configure a transform that converts numbers to appropriate domains.
- D. Configure a SIP trunk with Cisco Unified Communications Manager destination IP addresses.
- E. Configure a search rule to route calls to the Cisco Unified Communications Manager neighbor zone.
- F. Configure a SIP trunk security profile.

Answer: ACE

NEW QUESTION 416

When troubleshooting high CPU utilization within the Command Line Interface (CLI) of a Cisco Unified Communications Manager (CUCM). Which command will show the process CPU usage for all processes?

- show network status
- B. show pert query counter Process "% CPU Time"
- C. show pert query counter Partition "% Used"
- D. show pert query counter Process "Process Status"

Answer: B

NEW QUESTION 417

In the event that the central CUCM is unreachable, how will an endpoint identify which IP address to connect to for registration and call processing?

- A. DHCP Option 150
- B. SRST Reference
- C. SRST router fallback config
- D. Cisco Discovery Protocol

Answer: B

NEW QUESTION 418

.....

New 300-075 exam questions from PassLeader 300-075 dumps! Welcome to download the newest PassLeader 300-075 VCE and PDF dumps: https://www.passleader.com/300-075.html (500 Q&As --> 514 Q&As --> 530 Q&As)

P.S. Free 300-075 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L_QjGLpSIBUZHQxc19EWHM

Read More CCNP Collaboration Exam Dumps:

CCNP Collaboration 300-070 Exam Dumps: http://www.ciscovceplus.com/?s=300-070 CCNP Collaboration 300-080 Exam Dumps: http://www.ciscovceplus.com/?s=300-080 CCNP Collaboration 300-085 Exam Dumps: http://www.ciscovceplus.com/?s=300-085