PassLeader 210-065 Exam Dumps Collection with VCE and PDF (Question 1 - Question 15)

New 210-065 exam questions from PassLeader 210-065 dumps! Welcome to download the newest PassLeader 210-065 VCE and PDF dumps: http://www.passleader.com/210-065.html (363 Q&As --> 400 Q&As --> 412 Q&As --> 444 Q&As)

P.S. Free 210-065 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L_QjGLpfjREa25iSExKUkxvQi12aVdDMWNJSGs0T2JwYkhVUmtwdXhETmZVR3ZNek0

OUESTION 1

A Unified Communications engineer wants to configure a Cisco TelePresence SX endpoint using static IP addressing to use a different TFTP server. Which path will allow the engineer to complete this configuration?

- A. Network Services > Network 1 > DHCP RequestTFTPServerAddress > Off
- B. Network > TFTP > DHCP RequestTFTPServerAddress > Off
- C. Network Services > TFTP > DHCP RequestTFTPServerAddress > Off
- D. Configuration > System Configuration > Provisioning > Set the External Manager Address

Answer: D

QUESTION 2

Which two protocols can be used with the Cisco TelePresence Content Server to allow users to share content from their laptops? (Choose two.)

- A. BFCP
- B. H.239
- C. PCoIP
- D. Switched Presentation
- E. SCCP
- F. RDP

Answer: AB QUESTION 3

Which four features are supported by Cisco TelePresence Server for all hardware models in remotely managed mode? (Choose four.)

- A. auto-attendant
- B. ClearPath
- C. Cluster sizes of more than 5 servers
- D. Cascading
- E. Active presence for all devices
- F. Support for Conductor
- G. Native scheduling capabilities

Answer: BDEF QUESTION 4

Which Cisco Video Surveillance device is responsible for providing video streams to monitors after the respective layouts and views are received by the monitors?

- A. Cisco IP Video Surveillance Operations Manager
- B. Cisco IP Video Surveillance Virtual Matrix Viewer
- C. Cisco Video Surveillance Manager
- D. Cisco Video Surveillance Media Server

Answer: D

OUESTION 5

Which of these involves combining visual elements from separate sources into a single image?

- A. interlacing
- B. compositing

Export date: Sun Mar 24 5:02:10 2024 / +0000 GMT

- C. video conferencing
- D. interleaving

Answer: B

QUESTION 6

Which two of these are considered to be provisioning and scheduling management tools in a Cisco TelePresence environment? (Choose two.)

- A. Cisco TelePresence Manager
- B. Cisco Video Surveillance Operations Manager
- C. Cisco TelePresence Management Suite
- D. Cisco TelePresence Multipoint Control Unit
- E. Cisco Video Surveillance Management Server

Answer: AC QUESTION 7

Refer to the exhibit. You have just finished installing a 65-inch dual profile system in a multipurpose room. After powering up the entire system, only one display is used. Using the information in the exhibit, why is the second display not displaying anything from the system?



- A. The Cisco TelePresence profile systems do not support dual display.
- B. The display is not powered on.
- C. The dual display option key has not been input into the codec.
- D. The codec has the appropriate option keys installed, so either the display is not cabled correctly, the codec is configured incorrectly, or there is no input being sent to the display.

Answer: D

QUESTION 8

Threat monitoring in physical access security can be based upon which three of these? (Choose three.)

- A. doors
- B. badges
- C. age
- D. weather
- E. height
- F. fingerprints

Answer: ABF

QUESTION 9

When connecting to a pan-tilt-zoom camera to a C-Series codec, what type of cable must be used for camera control?

- A. an Ethernet crossover cable (RJ45-to-RJ45)
- B. an Ethernet cable (RJ45-to-RJ45)
- C. a serial cable (DB25-to-DB9)
- D. a VISCA cable (DB9-to-RJ45)

Export date: Sun Mar 24 5:02:10 2024 / +0000 GMT

Answer: D

QUESTION 10

Which statement is true about the Cisco TelePresence System 500-32 system regarding the HVAC needs for the room where it is installed?

- A. The system does not require any additional requirements above the normal HVAC requirements for the room.
- B. You must supply additional cooling requirements for the room.
- C. You must supply a room that has energy-efficient lighting to reduce the temperature of the room.
- D. The temperature of the room will be 10 to 20 degrees warmer than the rest of the building.

Answer: A

OUESTION 11

What is the optimum distance for a person sitting using the Cisco TelePresence System 500?

- A. the camera can adjust automatically
- B. 0.5 meters and 0.75 meters (1.5 and 2.5 feet)
- C. 1.2 meters and 1.8 meters (4 and 6 feet)
- D. 3.0 and 5.0 meters (10 and 15 feet)

Answer: C

OUESTION 12

You have installed a C-Series endpoint in an office where DHCP is not supported. At a minimum, which four network items must be configured for the endpoint to be able to register with H.323 on a Cisco TelePresence Video Communication Server located at the external headquarters location? (Choose four.)

- A. unique IPv4 address
- B. subnet mask
- C. default gateway
- D. Cisco VCS IPv4 address
- E. Active Directory IPv4 address
- F. SMTP server IPv4 address

Answer: ABCD

QUESTION 13

Which two additional items can be configured for an endpoint to register with the Cisco TelePresence Video Communication Server for H.323 to function correctly? (Choose two.)

- A. unique system ID
- B. unique H.323 ID
- C. unique DNS entry ID
- D. unique E.164 alias
- E. unique real-time transport protocol port numbers
- F. unique NTP server IPv4 address

Answer: BD

QUESTION 14

Which two additional items must be configured for an endpoint to register manually with the Cisco TelePresence Video Communication Server for the SIP to function correctly? (Choose two.)

- A. E.164 alias
- B. H.323 ID
- C. SIP uniform resource indicator
- D. configured SIP registrar and proxy server
- E. NTP server IPv4 address
- F. unique system ID

Answer: CD

QUESTION 15

What is the importance of defining option 150 in the DHCP server for Cisco TelePresence endpoints?

A. Option 150 is not important.

- B. It is the TFTP server IPv4 address where the video endpoint retrieves its configuration file while booting.
- C. It is the IPv4 address of the default gateway for the subnet that the video endpoint is connected to.
- D. It is the configured SIP registrar and proxy server.
- E. It is the unique NTP server IPv4 address.

Answer: B

New 210-065 exam questions from PassLeader 210-065 dumps! Welcome to download the newest PassLeader 210-065 VCE and PDF dumps: http://www.passleader.com/210-065.html (363 Q&As --> 400 Q&As --> 412 Q&As --> 444 Q&As)

P.S. Free 210-065 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L_QjGLpfjREa25iSExKUkxvQi12aVdDMWNJSGs0T2JwYkhVUmtwdXhETmZVR3ZNek0