

## Valid 400-251 Dumps with VCE and PDF for Free (Question 241 - Question 270)

New 400-251 exam questions from PassLeader 400-251 dumps! Welcome to download the newest PassLeader 400-251 VCE and PDF dumps: <http://www.passleader.com/400-251.html> (791 Q&As -- 2019 NEW VERSION!!!)

P.S. Free 400-251 dumps are available on Google Drive shared by PassLeader:

[https://drive.google.com/open?id=0B-ob6L\\_QjGLpd3JLalNVS0VWbms](https://drive.google.com/open?id=0B-ob6L_QjGLpd3JLalNVS0VWbms)

### QUESTION 241


Which Cisco product solution is designed for workload mobility between public-public and private-public clouds?

- A. Cisco Cloud Orchestrator
- B. Cisco Unified Cloud
- C. Cisco Intercloud Fabric
- D. Cisco Metapod

Answer: C

### QUESTION 242

Refer to the exhibit. What protocol format is illustrated?



- A. GR
- B. AH
- C. ESP
- D. IP

Answer: B

### QUESTION 243

What are two features that help to mitigate man-in-the-middle attacks? (Choose two.)

- A. dynamic ARP inspection
- B. ARP sniffing on specific ports
- C. destination MAC ACLs
- D. ARP spoofing
- E. DHCP snooping

Answer: AE

### QUESTION 244

What is the purpose of the vulnerability risk method for assessing risk?

- A. It directs the actions an organization can take in response to a reported vulnerability
- B. It evaluates the effectiveness and appropriateness of an organization's current risk management activities
- C. It directs the actions an organization can take to ensure perimeter security
- D. It prevents and protects against security vulnerabilities in an organization
- E. It establishes a security team to perform forensic examinations of known attacks

Answer: C

### QUESTION 245

Which three IP resources is the IANA responsible? (Choose three.)

- A. IP address allocation

- B. detection of spoofed address
- C. criminal prosecution of hackers
- D. autonomous system number allocation
- E. root zone management in DNS
- F. BGP protocol vulnerabilities

Answer: ADE

#### QUESTION 246

Which Statement about remote procedure calls is true?

- A. They support synchronous and asynchronous requests.
- B. They can emulate different hardware specifications on a single platform.
- C. They support optimized data replication among multiple machines.
- D. They use a special assembly instruction set to process remote code without conflicting with other remote processes.
- E. They can be invoked by the client and the server.

Answer: D

#### QUESTION 247

You have configured an authenticator switch in access mode on a network configured with NEAT. What RADIUS attribute must the ISE sever return to change the switch's port mode to trunk?

- A. device-traffic-class=switch
- B. device-traffic-class=trunk
- C. Framed-protocol=1
- D. EAP-message=switch
- E. Acct-Authentic=RADIUS
- F. Authenticate=Administrative

Answer: A

#### QUESTION 248

Which statement about ISO/IEC 27001 is true?

- A. ISO/IEC 27001 is only intended to report security breaches to the management authority.
- B. ISO/IEC 27001 was reviewed by the International Organization for Standardization.
- C. ISO/IEC 27001 is intend to bring information security under management control.
- D. ISO/IEC 27001 was reviewed by the International Electrotechnical Commission.
- E. ISO/IEC 27001 was published by ISO/IEC.

Answer: C


#### QUESTION 249

Drag and Drop Question

Drag and drop ESP header field on the left to the appropriate field length on the right.



Answer:



#### QUESTION 250

Which object table contains information about the clients know to the server in Cisco NHRP MIB implementaion?

- A. NHRP Server NHC Table
- B. NHRP Client Statistics Table
- C. NHRP Cache Table
- D. NHRP Purge Request Table

Answer: A

#### QUESTION 251

Which three Cisco attributes for LDAP authorization are supported on the ASA? (Choose three.)

- A. L2TP-Encryption
- B. Web-VPN-ACL-Filters
- C. IPsec-Client-Firewall-Filter-Name
- D. Authenticated-User-Idle-Timeout
- E. IPsec-Default-Domain
- F. Authorization-Type

Answer: BDE

#### QUESTION 252

Which two options are system requirements for single sign-on on Cisco Unified Communications Manager? (Choose two.)

- A. OpenAM must be deployed in a different domain Microsoft Active Directory.
- B. All participating entities must have their clocks synchronized.
- C. The local user profile on Cisco Unified Communications must be disabled.
- D. IWA and Kerberos authentication must be configured in the Windows domain.
- E. Microsoft Active Directory must be deployed in a domain-based configuration.

Answer: BE

#### QUESTION 253

Which of the following statement is true about the ARP attack?

- A. Attackers sends the ARP request with the MAC address and IP address of a legitimate resource in the network.
- B. Attackers sends the ARP request with the MAC address and IP address of its own.
- C. ARP spoofing does not facilitate man-in-the middle attack of the attackers.
- D. Attackers sends the ARP request with its own MAC address and IP address of a legitimate resource in the network.

Answer: D

#### QUESTION 254

During a DoS attacks all of the data is lost from a user's laptop and the user must now rebuild the system. Which tool can the user use to extract the outlook PST file from the Microsoft server database?

- A. Eseutil.exe
- B. NTabackup.exe
- C. Exmerge.exe
- D. Ost2st.exe

Answer: C

#### QUESTION 255

A Cisco Easy VPN software client is unable to access its local LAN devices once the VPN tunnel is established. What is the best way to solve this issue?

- A. The IP address that is assigned by the Cisco Easy VPN Server to the client must be on the same network as the local LAN of the client.
- B. The Cisco Easy VPN Server should apply split-tunnel-policy excludespecified with a split-tunnel-list containing the local LAN addresses that are relevant to the client.
- C. The Cisco Easy VPN Server must push down an interface ACL that permits the traffic to the local LAN from the client.
- D. The Cisco Easy VPN Server should apply a split-tunnel-policy tunnelall policy to the client.
- E. The Cisco Easy VPN client machine needs to have multiple NICs to support this.

Answer:

#### QUESTION 256

Which two statements about IKEv2 are true? (Choose two.)

- A. It uses EAP authentication
- B. It uses X.509 certificates for authentication
- C. The profile is a collection of transforms used to negotiate IKE SAs
- D. It supports DPD and Nat-T by default
- E. The profile contains a repository of symmetric and asymmetric preshared keys
- F. At minimum, a complete proposal requires one encryption algorithm and one integrity algorithm

Answer: EF

QUESTION 257

Which two OSPF network types support the concept of a designated router? (Choose two.)

- A. broadcast
- B. NBMA
- C. point-to-multipoint
- D. point-to-multipoint nonbroadcast
- E. loopback

Answer: AB

QUESTION 258

Given the IPv4 address 10.10.100.16, which two address are valid IPv4-compatible IPv6 addresses? (Choose two.)

- A. 0:0:0:0:10:10:100:16  
B. 0:0:10:10:10:16:0:0:0  
C. 0:0:10:10:100:16:0:0:0  
D. ::10:10:100:16  
E. :::A:A:64:10

Answer: AD

### QUESTION 259

What technology can you implement on your network to allow IPv4-dependent applications to work with IPv6- capable application?

- A. NAT 6to4
- B. DS-lite
- C. NAT-PT
- D. ISATAP
- E. NAT64

Answer: E

QUESTION 260

Which three fields are part of the AH header? (Choose three.)

- A. Destination address
- B. Protocol ID
- C. Packet ICV
- D. SPI identifying SA
- E. Next header
- F. Application port
- G. Source address

Answer: CDE

QUESTION 261

What ASA feature can do use to restrict a user to a specific VPN group?

- A. A webtypeACL
- B. MPF
- C. A VPN filter
- D. Group-lock

Answer: D


QUESTION 262



Answer: AB

#### QUESTION 267

Refer to the exhibit, what is the effect of the given command sequence?



- A. The router telnet to the on port 2002.
- B. The AP console port is shut down.
- C. A session is opened between the router console and the AP.
- D. The router telnet to the router on port 2002.

Answer:

#### QUESTION 268

Which two statements about IPsec in a NAT-enabled environment are true? (Choose two.)

- A. The hashes of each peer's IP address and port number are compared to determine whether NAT-T is required
- B. NAT-T is not supported when IPsec Phase 1 is set to Aggressive Mode
- C. The first two messages of IPsec Phase 2 are used to determine whether the remote host supports NAT-T
- D. NAT-T is not supported when IPsec Phase 1 is set to Main Mode
- E. IPsec packets are encapsulated in UDP 500 or UDP 10000 packets
- F. To prevent translations from expiring, NAT keepalive messages that include a payload are sent between the peers

Answer: AD

#### QUESTION 269

Which statement about the Cisco Secure ACS Solution Engine TACACS+ AV pair is true?

- A. AV pairs are only required to be enabled on Cisco Secure ACS for successful implementation.
- B. The Cisco Secure ACS Solution Engine does not support accounting AV pairs.
- C. AV pairs are only string values.
- D. AV pairs are of two types: string and integer.

Answer: C

#### QUESTION 270

Which statement about Sarbanes-Oxley (SOX) is true?

- A. SOX is an IIEFT compliance procedure for computer systems security.
- B. SOX is a US law.
- C. SOX is an IEEE compliance procedure for IT management to produce audit reports.
- D. SOX is a private organization that provides best practices for financial institution computer systems.
- E. Section 404 of SOX is only related to IT compliance.

Answer: BE

New 400-251 exam questions from PassLeader 400-251 dumps! Welcome to download the newest PassLeader 400-251 VCE and PDF dumps: <http://www.passleader.com/400-251.html> (791 Q&As -- 2019 NEW VERSION!!!)

P.S. Free 400-251 dumps are available on Google Drive shared by PassLeader:

[https://drive.google.com/open?id=0B-ob6L\\_QjGLpd3JLalNVS0VWbms](https://drive.google.com/open?id=0B-ob6L_QjGLpd3JLalNVS0VWbms)